


Follett Scientific

Products designed for the life science environment



Trusted Innovation for Healthcare and Laboratory Environments

For more than 40 years, Follett has delivered innovative products and solutions to the healthcare industry. Our comprehensive portfolio includes medical-grade refrigerators and freezers, ice and water dispensers, ice machines, and ice storage and transport equipment — each designed to promote health, safety, and well-being.

When you choose Follett, you choose superior product performance supported by the industry's best service and support program. Follett products are trusted wherever healthcare services are delivered, including acute care hospitals, ambulatory facilities, clinics, and physician practices.

Advanced Cold Storage for Laboratory Applications

Building on this legacy, Follett now offers high-quality, temperature-controlled cold storage solutions engineered specifically for laboratory environments. Designed for the safe storage of samples, reagents, and controls, these solutions deliver the reliability and performance required to support the continued advancement of science and medicine.



Sustainable refrigeration

Follett Scientific's family of high performance, cold storage products reflects our commitment to a more sustainable laboratory environment. Each product is engineered to reduce energy consumption and ozone depleting emissions without compromising performance. Follett offers a full line of certified, environmentally responsible cold storage solutions.



EPA SNAP compliance

All Follett Scientific refrigerator and freezer models are SNAP compliant utilizing R290 eco-friendly refrigerant.



Advanced design features

- High-density foamed-in-place insulation (Kyoto Protocol compliant)
- Low-velocity, high-volume airflow design for rapid temperature recovery
- Robust magnetic door gasket
- Long-lasting LED interior lighting



Laboratory refrigerators and biomedical freezers

- Refrigerators with capacities ranging from 25 – 72 cu ft
- Freezers with capacities ranging from 25 – 49 cu ft
- Powerful refrigeration system with low GWP refrigerant for high performance and reduced total cost of ownership
 - top-mounted modular Complete Refrigeration System (CRS)
 - all refrigeration components external to storage compartment, allowing full use of entire cabinet space
 - high volume airflow design for faster temperature recovery and uniform temperature
 - easy serviceability or replacement
- Precise temperature control
 - microprocessor control with digital temperature display
 - factory preset at +4 C (adjustable from +1 C to +12 C) on refrigerators
 - factory preset at -25 C (adjustable from -10 C to -25 C) on freezers
 - hot gas defrost system heats from inside the evaporator coil, resulting in short defrost cycles; transmits less heat to the product storage area, delivering more stable temperatures and lower humidity levels in the cabinet



- Engineered for sustainability
 - R290 low GWP refrigerant
 - SNAP compliant
 - UL/cUL listed
- Protection for your valuable products
 - audible and visual high/low temperature and door open alarms
 - dry contacts for remote alarming
 - access port for third party monitoring
 - key door lock



Refrigerator model options

Single door refrigerators – 24.7 cu ft

For additional product information, request form# 1084.

Item number	Hinging	Door style	Heated	Cubic capacity cu ft (L)	Width in (cm)	Depth in (cm)	Height in (cm)	Approx. ship wt lb (kg)
FREF25-LB-RGD	Right	Glass	Yes	24.7 (699)	28.35 (72.0)	33.23 (84.4)	79.31 (201.4)	377 (171)
FREF25-LB-LGD	Left	Glass	Yes	24.7 (699)	28.35 (72.0)	33.23 (84.4)	79.31 (201.4)	377 (171)
FREF25-LB-RSD	Right	Solid	No	24.7 (699)	28.35 (72.0)	31.50 (80.0)	79.31 (201.4)	331 (150)

Single door refrigerators – 31.8 cu ft

For additional product information, request form# 1085.

Item number	Hinging	Door style	Heated	Cubic capacity cu ft (L)	Width in (cm)	Depth in (cm)	Height in (cm)	Approx. ship wt lb (kg)
FREF30-LB-RGD	Right	Glass	Yes	31.8 (900)	32.25 (82.0)	39.25 (99.7)	81.50 (207.0)	467 (212)
FREF30-LB-LGD	Left	Glass	Yes	31.8 (900)	32.25 (82.0)	39.25 (99.7)	81.50 (207.0)	467 (212)
FREFCR30-RGD [†]	Right	Glass	Yes	31.8 (900)	32.25 (82.0)	39.25 (99.7)	81.50 (207.0)	467 (212)

[†] Chromatography

Double door refrigerators – 49.5 cu ft

For additional product information, request form# 1086.

Item number	Hinging	Door style	Heated	Cubic capacity cu ft (L)	Width in (cm)	Depth in (cm)	Height in (cm)	Approx. ship wt lb (kg)
FREF49-LB-OGD	Outer	Glass	Yes	49.5 (1402)	56.69 (145.0)	33.23 (84.4)	79.31 (201.4)	622 (282)
FREF49-LB-OSD	Outer	Solid	No	49.5 (1402)	56.69 (145.0)	31.50 (80.0)	79.31 (201.4)	531 (241)

Triple door refrigerators – 74.2 cu ft

For additional product information, request form# 1087.

Item number	Hinging	Door style	Heated	Cubic capacity cu ft (L)	Width in (cm)	Depth in (cm)	Height in (cm)	Approx. ship wt lb (kg)
FREF72-LB-RGD	Right	Glass	Yes	74.2 (2101)	85.03 (216.0)	33.23 (84.4)	79.31 (201.4)	772 (350)
FREF72-LB-RSD	Right	Solid	No	74.2 (2101)	85.03 (216.0)	31.50 (80.0)	79.31 (201.4)	699 (317)

Freezer model options

Single door freezers – 24.7 cu ft

For additional product information, request form# 1081.

Item number	Hinging	Door style	Heated	Cubic capacity cu ft (L)	Width in (cm)	Depth in (cm)	Height in (cm)	Approx. ship wt lb (kg)
FFZR25-LB-RSD	Right	Solid	Yes	24.7 (699)	28.35 (72.0)	31.50 (80.0)	79.31 (201.4)	331 (150)
FFZR25-LB-LSD	Left	Solid	Yes	24.7 (699)	28.35 (72.0)	31.50 (80.0)	79.31 (201.4)	331 (150)

Double door freezers – 49.5 cu ft

For additional product information, request form# 1082.

Item number	Hinging	Door style	Heated	Cubic capacity cu ft (L)	Width in (cm)	Depth in (cm)	Height in (cm)	Approx. ship wt lb (kg)
FFZR49-LB-RSD	Outer	Solid	Yes	49.5 (1402)	56.69 (144.5)	31.50 (80.0)	79.31 (201.4)	531 (241)

FOLLETT and FOLLETT SCIENTIFIC are registered trademarks of Follett Products, LLC, registered in the US. Follett reserves the right to change specifications at any time without obligation.



801 Church Lane | Easton, PA 18040, USA
610.252.7301 | 800.523.9361 | follettscientific.com

1125-20251230 | © Follett Products, LLC